















artikelnummer	per	omschrijving / maat	groep
AVK mofafsluiter serie 01/80 - PN16			0362
t.b.v. kunststof buis GJS500			
00211102	st.	50mm. (DN40)	
00211104	st.	63mm. (DN50)	
00211106	st.	75mm. (DN65)	
00211108	st.	90mm. (DN80)	
00211110	st.	110mm. (DN100)	
00211112	st.	125mm. (DN125)	
00211114	st.	160mm. (DN150)	
00211116	st.	200mm. (DN200)	
00211118	st.	250mm. (DN250)	
00211120	st.	315mm. (DN300)	
00211122	st.	400mm. (DN400)	
AVK mofafsluiter Supa+ serie 01/70 - PN16			0362
trekvast PE/PVC buis GJS400/500			
00211130	st.	50mm. (DN40)	
00211132	st.	63mm. (DN50)	
00211134	st.	75mm. (DN65)	
00211136	st.	90mm. (DN80)	
00211138	st.	110mm. (DN100)	
00211140	st.	125mm. (DN125)	
00211142	st.	160mm. (DN150)	
00211144	st.	200mm. (DN200)	
00211146	st.	250mm. (DN250)	
00211148	st.	315mm. (DN300)	
AVK mofafsluiter Supa+ serie 636/00 - PN16			0362
trekvast alle buizen GJS500			
00211160	st.	82-106mm (DN80)	
00211162	st.	104-133mm (DN100)	
00211164	st.	132-161mm (DN125)	
00211166	st.	159-188mm (DN150)	
00211168	st.	193-227mm (DN200)	
00211170	st.	224-257mm (DN200)	
00211172	st.	266-301mm (DN250)	
00211174	st.	314-356mm (DN300)	
AVK flensafsluiter lang serie 02/60 - PN16 GJS500			0362
00211180	st.	50mm. (DN40)	
00211182	st.	63mm. (DN50)	
00211184	st.	75mm. (DN65)	
00211186	st.	90mm. (DN80)	
00211188	st.	110mm. (DN100)	
00211190	st.	125mm. (DN125)	
00211192	st.	160mm. (DN150)	
00211194	st.	200mm. (DN200)	
00211196	st.	250mm. (DN250)	
00211198	st.	315mm. (DN300)	
00211200	st.	350mm. (DN350)	
00211202	st.	400mm. (DN400)	

artikelnummer	per	omschrijving / maat	groep
AVK flensafsluiter kort serie 06/30 - PN16 GJS500			0362
00211210	st.	50mm. (DN40)	
00211212	st.	63mm. (DN50)	
00211214	st.	75mm. (DN65)	
00211216	st.	90mm. (DN80)	
00211218	st.	110mm. (DN100)	
00211220	st.	125mm. (DN125)	
00211222	st.	160mm. (DN150)	
00211224	st.	200mm. (DN200)	
00211226	st.	250mm. (DN250)	
00211228	st.	315mm. (DN300)	
00211230	st.	350mm. (DN350)	
00211232	st.	400mm. (DN400)	
00211234	st.	450mm. (DN450)	
00211236	st.	500mm. (DN500)	
00211238	st.	600mm. (DN600)	
00211240	st.	800mm. (DN800)	
AVK dienstafsluiter serie 03/00 - PN16 met binnendraad GJS400			0362
00211250	st.	2 x 1" (DN25)	
00211252	st.	2 x 1-1/4" (DN32)	
00211254	st.	2 x 1-1/2" (DN40)	
00211256	st.	2 x 2" (DN50)	
AVK dienstafsluiter serie 03/30 - PN16 trekvast t.b.v. PE buis GJS500			0362
00211260	st.	32mm. (DN25)	
00211262	st.	40mm. (DN32)	
00211264	st.	50mm. (DN40)	
00211266	st.	63mm. (DN50)	
AVK dienstafsluiter serie 16/29 - PN16 buitendraad x trekvast t.b.v. PE buis POM			0362
00211270	st.	1-1/4" bui.dr x 32mm (DN25)	
00211272	st.	1-1/2" bui.dr x 40mm (DN32)	
00211274	st.	2" bui.dr x 50mm (DN40)	
00211276	st.	2" bui.dr x 63mm (DN50)	
00211278	st.	2" bui.dr x 63mm (DN50)	
AVK dienstafsluiter serie 16/50 - PN16 trekvast t.b.v. PE buis POM			0362
00211282	st.	32mm (DN25)	
00211284	st.	40mm (DN32)	
00211286	st.	50mm (DN40)	
00211288	st.	63mm (DN50)	
AVK dienstafsluiter serie 16/80 - PN16 met aangelaste PE buis SDR11 POM			0362
00211292	st.	32mm (DN25)	
00211294	st.	40mm (DN32)	
00211296	st.	50mm (DN40)	
00211298	st.	63mm (DN50)	

artikelnummer	per	omschrijving / maat	groep
AVK dienstafsluiter serie 03/00 - PN16 met binnendraad POM			0362
00211302	st.	2 x 1" (DN25)	
00211304	st.	2 x 1-1/4" (DN32)	
00211306	st.	2 x 1-1/2" (DN40)	
00211308	st.	2 x 2" (DN50)	
AVK flensafsluiter kort serie 06/80 - PN16 GJS500			0362
00211320	st.	50mm. (DN40)	
00211322	st.	63mm. (DN50)	
00211324	st.	75mm. (DN65)	
00211326	st.	90mm. (DN80)	
00211328	st.	110mm. (DN100)	
00211330	st.	125mm. (DN125)	
00211332	st.	160mm. (DN150)	
00211334	st.	200mm. (DN200)	
00211336	st.	250mm. (DN250)	
00211338	st.	315mm. (DN300)	
00211340	st.	350mm. (DN350)	
00211342	st.	400mm. (DN400)	
00211344	st.	450mm. (DN450)	
00211346	st.	500mm. (DN500)	
00211348	st.	600mm. (DN600)	
AVK flensafsluiter kort serie 06/84 - PN16 GJS500 RVS spindel			0362
00211360	st.	50mm. (DN40)	
00211362	st.	63mm. (DN50)	
00211364	st.	75mm. (DN65)	
00211366	st.	90mm. (DN80)	
00211368	st.	110mm. (DN100)	
00211370	st.	125mm. (DN125)	
00211372	st.	160mm. (DN150)	
00211374	st.	200mm. (DN200)	
00211376	st.	250mm. (DN250)	
00211378	st.	315mm. (DN300)	
00211380	st.	350mm. (DN350)	
00211382	st.	400mm. (DN400)	
00211384	st.	450mm. (DN450)	
00211386	st.	500mm. (DN500)	
00211388	st.	600mm. (DN600)	
AVK mofafsluiter serie 01/90 - PN16 t.b.v. kunststof buis GJS500 met onder druk verwisselbare O-ring			0362
00211702	st.	50mm. (DN40)	
00211704	st.	63mm. (DN50)	
00211706	st.	75mm. (DN65)	
00211708	st.	90mm. (DN80)	
00211710	st.	110mm. (DN100)	
00211712	st.	125mm. (DN125)	
00211714	st.	160mm. (DN150)	
00211716	st.	200mm. (DN200)	
00211718	st.	250mm. (DN250)	
00211720	st.	315mm. (DN300)	
00211722	st.	400mm. (DN400)	

artikelnummer per omschrijving / maat groep

AVK flensafsluiter kort serie 06/70 - PN10*/16** **0362**
GJS 500 met onder druk verwisselbare O-ring

00211730	st.	50mm. (DN40) */**
00211732	st.	63mm. (DN50) */**
00211734	st.	75mm. (DN65) */**
00211736	st.	90mm. (DN80) */**
00211738	st.	110mm. (DN100) */**
00211740	st.	125mm. (DN125) */**
00211742	st.	160mm. (DN150) */**
00211744	st.	200mm. (DN200) *
00211746	st.	200mm. (DN200) **
00211748	st.	250mm. (DN250) *
00211750	st.	250mm. (DN250) **
00211752	st.	315mm. (DN300) *
00211754	st.	315mm. (DN300) **
00211756	st.	350mm. (DN350) **
00211758	st.	400mm. (DN400) **
00211760	st.	450mm. (DN450) **
00211762	st.	500mm. (DN500) **
00211764	st.	600mm. (DN600) **



AVK flensafsluiter lang serie 20/70 - PN10*/16** **0362**
GJS 500 met onder druk verwisselbare O-ring








00211766	st.	50mm. (DN40) */**
00211768	st.	63mm. (DN50) */**
00211770	st.	75mm. (DN65) */**
00211772	st.	90mm. (DN80) */**
00211774	st.	110mm. (DN100) */**
00211776	st.	125mm. (DN125) */**
00211778	st.	160mm. (DN150) */**
00211780	st.	200mm. (DN200) *
00211782	st.	200mm. (DN200) **
00211784	st.	250mm. (DN250) *
00211786	st.	250mm. (DN250) **
00211788	st.	315mm. (DN300) *
00211790	st.	315mm. (DN300) **
00211792	st.	350mm. (DN350) **
00211794	st.	400mm. (DN400) **
00211796	st.	500mm. (DN500) **



AVK afsluiter serie 36/90 - PN10 **0362**
GJS 500 met onder druk verwisselbare O-ring
met aangelaste PE buis SDR11

00211800	st.	63mm. (DN50)
00211802	st.	75mm. (DN65)
00211804	st.	90mm. (DN80)
00211806	st.	110mm. (DN100)
00211808	st.	125mm. (DN125)
00211810	st.	160mm. (DN150)
00211812	st.	200mm. (DN200)
00211814	st.	250mm. (DN250)
00211816	st.	315mm. (DN300)
00211818	st.	400mm. (DN400)
00211820	st.	500mm. (DN500)
00211822	st.	630mm. (DN600)



artikelnummer	per	omschrijving / maat	groep
AVK aanboorzadel x 1-1/2" binnendraad serie 727 t.b.v. PE/PVC buis GJS500 NBR			0362
00213650	st.	50mm. (DN40)	
00213652	st.	63mm. (DN50)	
00213654	st.	75mm. (DN65)	
00213656	st.	90mm. (DN80)	
00213658	st.	110mm. (DN100)	
00213660	st.	160mm. (DN150)	
00213662	st.	200mm. (DN200)	
AVK inbouwgarntuur serie 04 gronddekking 1 meter			0362
00211500	st.	DN25-50	
00211502	st.	DN63-400	
00211504	st.	DN450-600 L=470-700mm	
00211506	st.	DN450-600 L=650-1100mm	
verlenging per meter			
00211508	st.	25-150	
00211510	st.	200-400	
RVS uitvoering per meter			
00211512	st.	25-150	
00211514	st.	200-400	
AVK handwiel t.b.v. afsluiter serie 08 GJL250			0362
00211520	st.	25/50	
00211522	st.	40/50	
00211524	st.	65/80	
00211526	st.	100	
00211528	st.	125/150	
00211530	st.	200	
00211532	st.	250/300	
00211534	st.	350/400	
00211536	st.	450/600	
AVK spindelkap t.b.v. afsluiter serie 04 GJL250			0362
00211540	st.	25/50	
00211542	st.	40/50	
00211544	st.	65/80	
00211546	st.	100/125/150	
00211548	st.	200	
00211550	st.	250/300	
00211552	st.	350/400	
00211554	st.	450/600 - 30mm tbv serie 06	
00211556	st.	450/600 - 30mm tbv serie 55	
AVK spindelkap t.b.v. gasafsluiter serie 04 GJL250			0362
00211590	st.	100/150	
00211592	st.	200/400	
AVK spindelkap voor inbouwgarntuur serie 04 GJL250			0362
00211562	st.	25/150	
00211564	st.	200/400	
AVK T-sleutel			0362
00211580	st.		

artikelnummer	per	omschrijving / maat	groep	
AVK koppelmof t.b.v. inbouwgarntuur serie 04 GJL250				
00211566	st.	25/50	0362	
00211568	st.	65/80		
00211570	st.	100/150		
00211572	st.	200		
00211574	st.	250/300		
00211576	st.	400		
Pakking met boutgaten t.b.v. flensverbinding EPDM dubbele inlage				
00211590	st.	DN40	0362	
00211592	st.	DN50		
00211594	st.	DN65		
00211596	st.	DN80		
00211598	st.	DN100		
00211600	st.	DN125		
00211602	st.	DN150		
00211604	st.	DN200		
00211606	st.	DN250		
00211608	st.	DN300		
00211610	st.	DN350		
00211612	st.	DN400		
00211614	st.	DN500		
00211616	st.	DN600		
Pakking EPDM met staal inlage				
00211620	st.	DN40		0362
00211622	st.	DN50		
00211624	st.	DN65		
00211626	st.	DN80		
00211628	st.	DN100		
00211630	st.	DN125		
00211632	st.	DN150		
00211634	st.	DN200		
00211636	st.	DN250		
00211638	st.	DN300		
00211640	st.	DN350		
00211642	st.	DN400		
00211644	st.	DN500		
00211646	st.	DN600		
Pakking NBR met staal inlage				
00211650	st.	DN40	0362	
00211652	st.	DN50		
00211654	st.	DN65		
00211656	st.	DN80		
00211658	st.	DN100		
00211660	st.	DN125		
00211662	st.	DN150		
00211664	st.	DN200		
00211666	st.	DN250		
00211668	st.	DN300		
00211670	st.	DN350		
00211672	st.	DN400		
00211674	st.	DN500		
00211676	st.	DN600		



artikelnummer	per	omschrijving / maat	groep
		AVK flensbuis serie 712 FF GJS 400 epoxy gecoat PN16	0362
00211900	st.	DN50 - L=100mm.	
00211902	st.	DN50 - L=200mm.	
00211904	st.	DN50 - L=300mm.	
00211906	st.	DN50 - L=400mm.	
00211908	st.	DN50 - L=500mm.	
00211910	st.	DN50 - L=600mm.	
00211912	st.	DN50 - L=700mm.	
00211914	st.	DN50 - L=800mm.	
00211916	st.	DN50 - L=900mm.	
00211918	st.	DN50 - L=1000mm.	
00211920	st.	DN65 - L=100mm.	
00211922	st.	DN65 - L=200mm.	
00211924	st.	DN65 - L=300mm.	
00211926	st.	DN65 - L=400mm.	
00211928	st.	DN65 - L=500mm.	
00211930	st.	DN65 - L=600mm.	
00211932	st.	DN65 - L=700mm.	
00211934	st.	DN65 - L=800mm.	
00211936	st.	DN65 - L=900mm.	
00211938	st.	DN65 - L=1000mm.	
00211940	st.	DN80 - L=100mm.	
00211942	st.	DN80 - L=200mm.	
00211944	st.	DN80 - L=300mm.	
00211946	st.	DN80 - L=400mm.	
00211948	st.	DN80 - L=500mm.	
00211950	st.	DN80 - L=600mm.	
00211952	st.	DN80 - L=700mm.	
00211954	st.	DN80 - L=800mm.	
00211956	st.	DN80 - L=900mm.	
00211958	st.	DN80 - L=1000mm.	
00211960	st.	DN100 - L=100mm.	
00211962	st.	DN100 - L=150mm.	
00211964	st.	DN100 - L=200mm.	
00211966	st.	DN100 - L=300mm.	
00211968	st.	DN100 - L=400mm.	
00211970	st.	DN100 - L=500mm.	
00211972	st.	DN100 - L=600mm.	
00211974	st.	DN100 - L=700mm.	
00211976	st.	DN100 - L=800mm.	
00211978	st.	DN100 - L=900mm.	
00211979	st.	DN100 - L=1000mm.	
00211980		DN125 - L=100mm.	
00211982	st.	DN125 - L=200mm.	
00211984	st.	DN125 - L=300mm.	
00211986	st.	DN125 - L=400mm.	
00211988	st.	DN125 - L=500mm.	
00211990	st.	DN125 - L=600mm.	
00211992	st.	DN125 - L=700mm.	
00211994	st.	DN125 - L=800mm.	
00211996	st.	DN125 - L=900mm.	
00211998	st.	DN125 - L=1000mm.	



artikelnummer	per	omschrijving / maat	groep
		AVK flensbuis serie 712 FF GJS 400 epoxy gecoat PN16	0362
00212000	st.	DN150 - L=100mm.	
00212002	st.	DN150 - L=200mm.	
00212004	st.	DN150 - L=300mm.	
00212006	st.	DN150 - L=400mm.	
00212008	st.	DN150 - L=500mm.	
00212010	st.	DN150 - L=600mm.	
00212012	st.	DN150 - L=700mm.	
00212014	st.	DN150 - L=800mm.	
00212016	st.	DN150 - L=900mm.	
00212018	st.	DN150 - L=1000mm.	
00212020	st.	DN200 - L=100mm.	
00212022	st.	DN200 - L=200mm.	
00212024	st.	DN200 - L=300mm.	
00212026	st.	DN200 - L=400mm.	
00212028	st.	DN200 - L=500mm.	
00212030	st.	DN200 - L=600mm.	
00212032	st.	DN200 - L=700mm.	
00212034	st.	DN200 - L=800mm.	
00212036	st.	DN200 - L=900mm.	
00212038	st.	DN200 - L=1000mm.	
00212040	st.	DN250 - L=200mm.	
00212042	st.	DN250 - L=300mm.	
00212044	st.	DN250 - L=400mm.	
00212046	st.	DN250 - L=500mm.	
00212048	st.	DN250 - L=600mm.	
00212050	st.	DN250 - L=700mm.	
00212052	st.	DN250 - L=800mm.	
00212054	st.	DN250 - L=900mm.	
00212056	st.	DN250 - L=1000mm.	
00212060	st.	DN300 - L=300mm.	
00212062	st.	DN300 - L=400mm.	
00212064	st.	DN300 - L=500mm.	
00212066	st.	DN300 - L=600mm.	
00212068	st.	DN300 - L=700mm.	
00212070	st.	DN300 - L=800mm.	
00212072	st.	DN300 - L=900mm.	
00212074	st.	DN300 - L=1000mm.	
00212078	st.	DN350 - L=400mm.	
00212080	st.	DN350 - L=500mm.	
00212082	st.	DN350 - L=600mm.	
00212084	st.	DN350 - L=700mm.	
00212086	st.	DN350 - L=800mm.	
00212088	st.	DN350 - L=900mm.	
00212090	st.	DN350 - L=1000mm.	



artikelnummer per omschrijving / maat groep

**AVK flensbuis serie 712 FF
GJS 400 epoxy gecoat PN16**

0362







00212094	st.	DN400 - L=200mm.
00212096	st.	DN400 - L=300mm.
00212098	st.	DN400 - L=400mm.
00212100	st.	DN400 - L=500mm.
00212102	st.	DN400 - L=600mm.
00212104	st.	DN400 - L=700mm.
00212106	st.	DN400 - L=800mm.
00212108	st.	DN400 - L=900mm.
00212110	st.	DN400 - L=1000mm.
00212114	st.	DN500 - L=300mm.
00212116	st.	DN500 - L=400mm.
00212118	st.	DN500 - L=500mm.
00212120	st.	DN500 - L=600mm.
00212122	st.	DN500 - L=700mm.
00212124	st.	DN500 - L=800mm.
00212126	st.	DN500 - L=900mm.
00212128	st.	DN500 - L=1000mm.
00212132	st.	DN600 - L=300mm.
00212134	st.	DN600 - L=400mm.
00212136	st.	DN600 - L=500mm.
00212138	st.	DN600 - L=600mm.
00212140	st.	DN600 - L=700mm.
00212142	st.	DN600 - L=800mm.
00212144	st.	DN600 - L=900mm.
00212146	st.	DN600 - L=1000mm.

**AVK muurdoorvoerder serie 712 FFM
GJS 400 epoxy gecoat PN16**

0362



00212150	st.	DN50 - L=400mm.
00212152	st.	DN50 - L=500mm.
00212154	st.	DN50 - L=600mm.
00212156	st.	DN65 - L=400mm.
00212158	st.	DN65 - L=500mm.
00212160	st.	DN65 - L=600mm.
00212162	st.	DN80 - L=400mm.
00212164	st.	DN80 - L=500mm.
00212166	st.	DN80 - L=600mm.
00212168	st.	DN100 - L=400mm.
00212170	st.	DN100 - L=500mm.
00212172	st.	DN100 - L=600mm.
00212174	st.	DN125 - L=500mm.
00212176	st.	DN125 - L=600mm.
00212178	st.	DN150 - L=400mm.
00212180	st.	DN150 - L=500mm.
00212182	st.	DN150 - L=600mm.
00212184	st.	DN200 - L=400mm.
00212186	st.	DN200 - L=500mm.
00212188	st.	DN200 - L=600mm.
00212190	st.	DN250 - L=500mm.
00212192	st.	DN250 - L=600mm.
00212194	st.	DN300 - L=500mm.
00212196	st.	DN300 - L=600mm.

artikelnummer	per	omschrijving / maat	groep
AVK muurdoorvoerder serie 712 FFM GJS 400 epoxy gecoat PN16			0362
00212198	st.	DN350 - L=500mm.	
00212200	st.	DN350 - L=600mm.	
00212202	st.	DN400 - L=500mm.	
00212204	st.	DN400 - L=600mm.	
00212206	st.	DN500 - L=500mm.	
00212208	st.	DN500 - L=600mm.	
00212210	st.	DN600 - L=600mm.	
AVK flensbocht 90° serie 712 FFQ GJS 400 epoxy gecoat PN16			0362
00212220	st.	DN50	
00212222	st.	DN65	
00212224	st.	DN80	
00212226	st.	DN100	
00212228	st.	DN125	
00212230	st.	DN150	
00212232	st.	DN200	
00212234	st.	DN250	
00212236	st.	DN300	
00212238	st.	DN350	
00212240	st.	DN400	
00212242	st.	DN500	
00212244	st.	DN600	
AVK flensbocht 45° serie 712 FFK GJS 400 epoxy gecoat PN16			
00212830	st.	DN50	
00212832	st.	DN80	
00212834	st.	DN100	
00212836	st.	DN125	
00212838	st.	DN150	
00212840	st.	DN200	
00212842	st.	DN250	
00212844	st.	DN300	
00212846	st.	DN350	
00212848	st.	DN400	
00212850	st.	DN500	
00212852	st.	DN600	
AVK flens T-stuk recht 90° serie 712 FFT GJS 400 epoxy gecoat PN16			0362
00212370	st.	3 x DN50	
00212372	st.	3 x DN80	
00212374	st.	3 x DN100	
00212378	st.	3 x DN150	
00212380	st.	3 x DN200	
00212382	st.	3 x DN250	
00212384	st.	3 x DN300	
00212388	st.	3 x DN400	
00212390	st.	3 x DN450	
00212392	st.	3 x DN500	
00212394	st.	3 x DN600	

artikelnummer	per	omschrijving / maat	groep
AVK flens T-stuk 45° serie 712 FFC			0362
GJS 400 epoxy gecoat PN16			
00212560	st.	3 x DN80	
00212562	st.	3 x DN100	
00212564	st.	3 x DN150	
00212566	st.	3 x DN200	
00212568	st.	3 x DN250	
00212570	st.	3 x DN300	
00212572	st.	3 x DN400	
00212574	st.	3 x DN450	
00212576	st.	3 x DN500	
00212578	st.	3 x DN600	
AVK flens stroom T-stuk 90° serie 712 SCH			0362
GJS 400 epoxy gecoat PN16			
00212580	st.	3 x DN80	
00212582	st.	3 x DN100	
00212584	st.	3 x DN150	
00212586	st.	3 x DN200	
00212588	st.	3 x DN250	
00212590	st.	3 x DN300	
00212592	st.	3 x DN400	
00212594	st.	3 x DN450	
00212596	st.	3 x DN500	
00212598	st.	3 x DN600	
AVK flens mof T-stuk 90° serie 712 MMA			0362
GJS 400 epoxy gecoat PN16			
00212602	st.	110mm. (DN80)	
00212604	st.	110mm. (DN100)	
00212606	st.	160mm. (DN80)	
00212608	st.	160mm. (DN100)	
00212610	st.	160mm. (DN150)	
00212612	st.	200mm. (DN80)	
00212614	st.	200mm. (DN100)	
00212616	st.	200mm. (DN150)	
00212618	st.	200mm. (DN200)	
00212620	st.	250mm. (DN80)	
00212622	st.	250mm. (DN100)	
00212624	st.	250mm. (DN150)	
00212626	st.	250mm. (DN200)	
00212628	st.	315mm. (DN100)	
00212630	st.	315mm. (DN150)	
AVK flens Y stuk serie 712 Y			0362
GJS 400 epoxy gecoat PN16			
00212720	st.	3 x DN80	
00212722	st.	3 x DN100	
00212724	st.	3 x DN150	
00212726	st.	3 x DN200	
00212728	st.	3 x DN250	
00212730	st.	3 x DN300	
00212732	st.	3 x DN400	
00212734	st.	3 x DN500	
00212736	st.	3 x DN600	



artikelnummer	per	omschrijving / maat	groep
---------------	-----	---------------------	-------

**AVK flensverloopstuk serie 712 FFR
centrisch GJS 400 epoxy gecoat PN16**

0362

00212250	st.	DN65/50 L=200
00212252	st.	DN80/50 L=200
00212254	st.	DN80/65 L=200
00212256	st.	DN100/50 L=200
00212258	st.	DN100/65 L=200
00212260	st.	DN100/80 L=200
00212262	st.	DN125/80 L=200
00212264	st.	DN125/100 L=200
00212266	st.	DN150/80 L=200
00212268	st.	DN150/100 L=200
00212270	st.	DN150/125 L=200
00212272	st.	DN200/80 L=300
00212274	st.	DN200/100 L=300
00212276	st.	DN200/150 L=300
00212278	st.	DN250/100 L=300
00212280	st.	DN250/150 L=300
00212282	st.	DN250/200 L=300
00212284	st.	DN300/100 L=300
00212286	st.	DN300/150 L=300
00212288	st.	DN300/200 L=300
00212290	st.	DN300/250 L=300
00212292	st.	DN400/200 L=300
00212294	st.	DN400/250 L=300
00212296	st.	DN400/300 L=300
00212298	st.	DN450/250 L=300
00212300	st.	DN450/300 L=300
00212302	st.	DN450/350 L=300
00212304	st.	DN450/350 L=300
00212306	st.	DN500/250 L=600
00212308	st.	DN500/300 L=600
00212310	st.	DN500/350 L=600
00212312	st.	DN500/400 L=600
00212314	st.	DN500/450 L=600
00212316	st.	DN600/400 L=600
00212318	st.	DN600/450 L=600
00212320	st.	DN600/500 L=600



**AVK flensverloopstuk serie 712 FFR
excentrisch GJS 400 epoxy gecoat PN16**

0362

00212330	st.	DN80/50 L=200
00212332	st.	DN80/65 L=200
00212334	st.	DN100/80 L=200
00212336	st.	DN125/100 L=200
00212338	st.	DN150/80 L=200
00212340	st.	DN150/100 L=200
00212342	st.	DN150/125 L=200
00212344	st.	DN200/100 L=200
00212346	st.	DN200/100 L=300
00212348	st.	DN200/150 L=300
00212350	st.	DN250/150 L=300
00212352	st.	DN250/200 L=300
00212354	st.	DN250/150 L=300
00212356	st.	DN250/200 L=300
00212358	st.	DN300/150 L=300
00212360	st.	DN300/200 L=300
00212362	st.	DN300/250 L=300




artikelnummer	per	omschrijving / maat	groep
		AVK flens T-stuk verlopend 90° serie 712 FFT GJS 400 epoxy gecoat PN16	0362
00212400	st.	DN80/50	
00212402	st.	DN80/65	
00212404	st.	DN100/50	
00212406	st.	DN100/65	
00212408	st.	DN100/80	
00212410	st.	DN125/80	
00212412	st.	DN125/100	
00212416	st.	DN150/80	
00212418	st.	DN150/100	
00212414	st.	DN150/125	
00212420	st.	DN200/50	
00212422	st.	DN200/80	
00212424	st.	DN200/100	
00212426	st.	DN200/150	
00212428	st.	DN250/80	
00212430	st.	DN250/100	
00212432	st.	DN250/125	
00212434	st.	DN250/150	
00212436	st.	DN250/200	
00212438	st.	DN300/80	
00212440	st.	DN300/100	
00212442	st.	DN300/150	
00212444	st.	DN300/200	
00212446	st.	DN300/250	
00212448	st.	DN400/80	
00212450	st.	DN400/100	
00212452	st.	DN400/150	
00212454	st.	DN400/200	
00212456	st.	DN400/250	
00212458	st.	DN400/300	
00212460	st.	DN400/350	
00212464	st.	DN500/100	
00212466	st.	DN500/150	
00212468	st.	DN500/200	
00212470	st.	DN500/250	
00212472	st.	DN500/300	
00212474	st.	DN500/350	
00212476	st.	DN500/400	
00212478	st.	DN600/100	
00212480	st.	DN600/150	
00212482	st.	DN600/200	
00212484	st.	DN600/250	
00212486	st.	DN600/300	
00212488	st.	DN600/400	
00212490	st.	DN600/500	



artikelnummer	per	omschrijving / maat	groep
AVK flens voetbocht 90° serie 712 FFQN GJS 400 epoxy gecoat PN16			0362
00212500	st.	DN50	
00212502	st.	DN65	
00212504	st.	DN80	
00212506	st.	DN100	
00212508	st.	DN125	
00212510	st.	DN150	
00212512	st.	DN200	
00212514	st.	DN250	
00212516	st.	DN300	
00212518	st.	DN350	
00212520	st.	DN400	
00212522	st.	DN450	
00212524	st.	DN500	
00212526	st.	DN600	
AVK flens overloop mondstuk serie 712 OMS GJS 400 epoxy gecoat PN16			0362
00212530	st.	DN100	
00212532	st.	DN125	
00212534	st.	DN150	
00212536	st.	DN200	
00212538	st.	DN250	
00212540	st.	DN300	
00212542	st.	DN350	
00212544	st.	DN400	
00212546	st.	DN450	
00212548	st.	DN500	
00212550	st.	DN600	
AVK flens mof stuk serie 712 E GJS 400 epoxy gecoat PN16			0362
00212640	st.	63mm. (DN50)	
00212642	st.	75mm. (DN65)	
00212644	st.	63mm. (DN80)	
00212646	st.	90mm. (DN80)	
00212648	st.	90mm. (DN80)	
00212650	st.	110mm. (DN100)	
00212652	st.	160mm. (DN150)	
00212654	st.	200mm. (DN200)	
00212656	st.	250mm. (DN250)	
00212658	st.	315mm. (DN300)	
00212660	st.	400mm. (DN400)	
00212662	st.	500mm. (DN500)	
00212664	st.	630mm. (DN600)	



artikelnummer	per	omschrijving / maat	groep
AVK trekvast E stuk serie 712 E			0362
GJS 400 epoxy gecoat PN16 type WAVIN			
00212670	st.	110mm. (DN100)	
00212672	st.	125mm. (DN125)	
00212674	st.	160mm. (DN150)	
00212676	st.	200mm. (DN200)	
00212678	st.	250mm. (DN250)	
00212680	st.	315mm. (DN300)	
00212682	st.	400mm. (DN400)	
00212684	st.	500mm. (DN500)	
00212686	st.	630mm. (DN600)	
AVK trekvast E stuk serie 712 E			0362
GJS 400 epoxy gecoat PN16 type DYKA			
00212700	st.	110mm. (DN100)	
00212702	st.	160mm. (DN150)	
00212704	st.	200mm. (DN200)	
00212706	st.	250mm. (DN250)	
00212708	st.	315mm. (DN300)	
00212710	st.	400mm. (DN400)	
00212712	st.	500mm. (DN500)	
AVK blindflens serie 712 X			0362
GJS 400 epoxy gecoat PN16			
00212740	st.	DN50	
00212742	st.	DN65	
00212744	st.	DN80	
00212746	st.	DN100	
00212748	st.	DN125	
00212750	st.	DN150	
00212752	st.	DN200	
00212754	st.	DN250	
00212756	st.	DN300	
00212758	st.	DN350	
00212760	st.	DN400	
00212762	st.	DN500	
00212764	st.	DN600	
AVK blindflens x binnendraad 2" serie 712 X-S			0362
GJS 400 epoxy gecoat PN16			
00212770	st.	DN50	
00212772	st.	DN65	
00212774	st.	DN80	
00212776	st.	DN100	
00212778	st.	DN125	
00212780	st.	DN150	
00212782	st.	DN200	
00212784	st.	DN250	
00212786	st.	DN300	
00212788	st.	DN400	
00212790	st.	DN500	
00212792	st.	DN600	








artikelnummer	per	omschrijving / maat	groep
		AVK pas- en uitbouw trekvast serie 712 GJS 400 epoxy gecoat PN16	0362
00212800	st.	DN50	
00212802	st.	DN65	
00212804	st.	DN80	
00212806	st.	DN100	
00212808	st.	DN125	
00212810	st.	DN150	
00212812	st.	DN200	
00212814	st.	DN250	
00212816	st.	DN300	
00212818	st.	DN400	
00212820	st.	DN500	
00212822	st.	DN600	



		AVK aanboorzadel x binnendraad serie 10/00 t.b.v. kunststof buizen GJS500 EPDM	0362
00212860	st.	50mm. x 1" (DN40)	
00212862	st.	63mm. x 1" (DN50)	
00212864	st.	63mm. x 1-1/4" (DN50)	
00212866	st.	63mm. x 1-1/2" (DN50)	
00212868	st.	75mm. x 1" (DN65)	
00212870	st.	75mm. x 1-1/4" (DN65)	
00212872	st.	75mm. x 1-1/2" (DN65)	
00212874	st.	90mm. x 1" (DN80)	
00212876	st.	90mm. x 1-1/4" (DN80)	
00212878	st.	90mm. x 1-1/2" (DN80)	
00212880	st.	110mm. x 1" (DN100)	
00212882	st.	110mm. x 1-1/4" (DN100)	
00212884	st.	110mm. x 1-1/2" (DN100)	
00212886	st.	110mm. x 2" (DN100)	
00212888	st.	160mm. x 1" (DN150)	
00212890	st.	160mm. x 1-1/4" (DN150)	
00212892	st.	160mm. x 1-1/2" (DN150)	
00212894	st.	160mm. x 2" (DN150)	
00212896	st.	200mm. x 1" (DN200)	
00212898	st.	200mm. x 1-1/4" (DN200)	
00212900	st.	200mm. x 1-1/2" (DN200)	
00212902	st.	200mm. x 2" (DN200)	
00212904	st.	250mm. x 1" (DN250)	
00212906	st.	250mm. x 1-1/4" (DN250)	
00212908	st.	250mm. x 1-1/2" (DN250)	
00212910	st.	250mm. x 2" (DN250)	
00212912	st.	315mm. x 1" (DN300)	
00212914	st.	315mm. x 1-1/4" (DN300)	
00212916	st.	315mm. x 1-1/2" (DN300)	
00212918	st.	315mm. x 2" (DN300)	



artikelnummer	per	omschrijving / maat	groep
AVK Orion koppeling serie 711/50			0362
GJS 400 NBR PN16			
00212930	st.	46-72mm (DN50)	
00212932	st.	72-86mm (DN65)	
00212934	st.	88-108mm (DN80)	
00212936	st.	104-130mm (DN100)	
00212938	st.	125-155mm (DN125)	
00212940	st.	158-192mm (DN150)	
00212942	st.	198-232mm (DN200)	
00212944	st.	267-310mm (DN250)	
00212946	st.	315-358mm (DN300)	
AVK Orion flensadapter serie 711/60			0362
GJS 400 NBR PN16			
00212950	st.	46-72mm (DN50)	
00212952	st.	72-86mm (DN65)	
00212954	st.	88-108mm (DN80)	
00212956	st.	104-130mm (DN100)	
00212958	st.	125-155mm (DN125)	
00212960	st.	158-192mm (DN150)	
00212962	st.	198-232mm (DN200)	
00212964	st.	267-310mm (DN250)	
00212966	st.	315-358mm (DN300)	
AVK Orion verloop koppeling serie 711/70			0362
GJS 400 NBR PN16			
00212970	st.	104-130 x 88-108 (DN100/80)	
00212972	st.	125-155 x 104-130 (DN125/100)	
00212974	st.	158-192 x 104-130 (DN150-100)	
00212976	st.	158-192 x 125-155 (DN150-125)	
00212978	st.	233-267 x 198-232 (DN225-200)	
00212980	st.	267-310 x 267-310 (DN250-225)	
AVK Orion spie adapter serie 711/80			
GJS 400 NBR PN16			
00212984	st.	46-72mm (DN50)	
00212986	st.	88-108mm (DN80)	
00212988	st.	104-130mm (DN100)	
00212990	st.	158-192mm (DN150)	
00212992	st.	198-232mm (DN200)	
AVK Supa+ trekvaste koppeling serie 621/10			0362
t.b.v. PE/PVC buis GJS 400 PN16			
00213000	st.	40mm. (DN40)	
00213002	st.	50mm. (DN40)	
00213004	st.	63mm. (DN50)	
00213006	st.	75mm. (DN65)	
00213008	st.	90mm. (DN80)	
00213010	st.	110mm. (DN100)	
00213012	st.	125mm. (DN125)	
00213014	st.	160mm. (DN150)	
00213016	st.	200mm. (DN200)	
00213018	st.	250mm. (DN250)	
00213020	st.	315mm. (DN300)	

artikelnummer per omschrijving / maat groep

AVK Supa+ trekvaste flensadapter serie 623/10 0362
t.b.v. PE/PVC buis GJS 400 PN16

00213024	st.	40mm. (DN40)
00213026	st.	50mm. (DN40)
00213028	st.	63mm. (DN50)
00213030	st.	75mm. (DN65)
00213032	st.	90mm. (DN80)
00213034	st.	110mm. (DN100)
00213036	st.	125mm. (DN125)
00213038	st.	160mm. (DN150)
00213040	st.	200mm. (DN200)
00213042	st.	250mm. (DN250)
00213044	st.	315mm. (DN300)



AVK Supa+ combi flens serie 05/60 0362
t.b.v. PE/PVC buis GJS 500 PN16 incl. trekvaste afdicht set

00213048	st.	63mm. (DN50)
00213050	st.	75mm. (DN65)
00213052	st.	90mm. (DN80)
00213054	st.	110mm. (DN100)
00213056	st.	125mm. (DN125)
00213058	st.	160mm. (DN150)
00213060	st.	200mm. (DN200)
00213062	st.	250mm. (DN250)
00213064	st.	315mm. (DN300)



AVK steunhuls RVS304 serie 05/E-009
t.b.v. PE buis SDR11 - 13,6 - 17,(6)

00213068	st.	63mm. (DN50)
00213070	st.	75mm. (DN65)
00213072	st.	90mm. (DN80)
00213074	st.	110mm. (DN100)
00213076	st.	125mm. (DN125)
00213078	st.	160mm. (DN150)
00213080	st.	200mm. (DN200)
00213082	st.	250mm. (DN250)
00213084	st.	315mm. (DN300)
00213086	st.	355mm. (DN350)
00213088	st.	400mm. (DN400)



AVK Supa Maxi trekvaste koppeling serie 631/00 0362
t.b.v. alle buis soorten EPDM afdichting PN16

00213092	st.	48-71mm (DN50)
00213094	st.	69-91mm (DN65)
00213096	st.	82-106mm (DN80)
00213098	st.	104-133mm (DN100)
00213100	st.	132-161mm (DN125)
00213102	st.	159-188mm (DN150)
00213104	st.	193-227mm (DN200)
00213106	st.	224-257mm (DN225)
00213108	st.	266-301mm (DN250)
00213110	st.	314-356mm (DN300)
00213112	st.	392-442mm (DN400)



alle Supa Maxi producten
zijn voorzien van:
Bouten : A2
Moeren : A4

artikelnummer per omschrijving / maat groep

AVK Supa Maxi verloopkoppeling serie 632/00
trekvast t.b.v. alle buis soorten EPDM afdichting PN16

0362

00213116	st.	69-91 x 48-71mm.
00213118	st.	82-106 x 48-71mm.
00213120	st.	82-106 x 69-91mm.
00213122	st.	104-133 x 82-106mm.
00213124	st.	132-161 x 104-133mm.
00213126	st.	159-188 x 104-133mm.
00213128	st.	159-188 x 132-161mm.
00213130	st.	193-227 x 159-188mm.
00213132	st.	224-257 x 159-188mm.
00213134	st.	224-257 x 193-227mm.
00213136	st.	266-301 x 193-227mm.
00213138	st.	266-301 x 224-257mm.
00213140	st.	314-356 x 266-301mm.



alle Supa Maxi producten
zijn voorzien van:
Bouten : A2
Moeren : A4

AVK Supa Maxi flensadapter serie 633/00
trekvast t.b.v. alle buis soorten EPDM afdichting PN16

0362

00213144	st.	48-71mm (DN40/50)
00213146	st.	69-91mm (DN50/65)
00213148	st.	82-106mm (DN80)
00213150	st.	104-133mm (DN100)
00213152	st.	132-161mm (DN100/125)
00213154	st.	159-188mm (DN150)
00213156	st.	193-227mm (DN200)
00213158	st.	224-257mm (DN225/250)
00213160	st.	266-301mm (DN250)
00213162	st.	314-356mm (DN300)
00213164	st.	392-442mm (DN400)



AVK Supa Maxi trekvast eindkap serie 634/00
t.b.v. alle buis soorten EPDM afdichting PN16
met aftakking 1-1/4" (*) & 2" ()**

0362

00213168	st.	48-71mm (DN50)
00213170	st.	69-91mm (DN65) *
00213172	st.	69-91mm (DN65) **
00213174	st.	82-106mm (DN80) *
00213176	st.	82-106mm (DN80) **
00213178	st.	104-133mm (DN100) *
00213180	st.	104-133mm (DN100) **
00213182	st.	132-161mm (DN125) *
00213184	st.	132-161mm (DN125) **
00213186	st.	159-188mm (DN150) *
00213188	st.	159-188mm (DN150) **
00213190	st.	193-227mm (DN200) *
00213192	st.	193-227mm (DN200) **
00213194	st.	224-257mm (DN225) *
00213196	st.	224-257mm (DN225) **
00213198	st.	266-301mm (DN250) *
00213200	st.	266-301mm (DN250) **
00213202	st.	314-356mm (DN300) *
00213204	st.	314-356mm (DN300) **
00213206	st.	392-442mm (DN400) **



artikelnummer per omschrijving / maat groep

AVK Supa Maxi spie adapter serie 635/00
trek vast t.b.v. alle buis soorten EPDM afdichting PN16

0362

00213210	st.	63 x 48-71mm (DN50)
00213212	st.	75 x 69-91mm (DN65)
00213214	st.	90 x 82-106mm (DN80)
00213216	st.	110 x 82-106mm (DN80)
00213218	st.	110 x 104-133mm (DN100)
00213220	st.	125 x 132-161mm (DN125)
00213222	st.	160 x 159-188mm (DN150)
00213224	st.	200 x 193-227mm (DN200)
00213226	st.	250 x 224-257mm (DN225)
00213228	st.	250 x 266-301mm (DN250)
00213230	st.	315 x 314-356mm (DN300)



alle Supa Maxi producten
zijn voorzien van:
Bouten : A2
Moeren : A4

AVK Supa Maxi trek vaste koppeling serie 631/70
t.b.v. alle buis soorten NBR afdichting PN10

0362

00213500	st.	48-71mm (DN50)
00213502	st.	69-91mm (DN65)
00213504	st.	82-106mm (DN80)
00213506	st.	104-133mm (DN100)
00213508	st.	132-161mm (DN125)
00213510	st.	159-188mm (DN150)
00213512	st.	193-227mm (DN200)
00213514	st.	224-257mm (DN225)
00213516	st.	266-301mm (DN250)
00213518	st.	314-356mm (DN300)



AVK Supa Maxi verloopkoppeling serie 632/70
trek vast t.b.v. alle buis soorten NBR afdichting PN10

0362

00213522	st.	69-91 x 48-71mm.
00213524	st.	82-106 x 48-71mm.
00213526	st.	82-106 x 69-91mm.
00213528	st.	104-133 x 82-106mm.
00213530	st.	132-161 x 104-133mm.
00213532	st.	159-188 x 104-133mm.
00213534	st.	159-188 x 132-161mm.
00213536	st.	193-227 x 159-188mm.
00213538	st.	224-257 x 159-188mm.
00213540	st.	224-257 x 193-227mm.
00213542	st.	266-301 x 193-227mm.
00213544	st.	266-301 x 224-257mm.
00213546	st.	314-356 x 266-301mm.



AVK Supa Maxi flensadapter serie 633/70
trek vast t.b.v. alle buis soorten NBR afdichting PN10

0362

00213550	st.	48-71mm (DN40/50)
00213552	st.	69-91mm (DN50/65)
00213554	st.	82-106mm (DN80)
00213556	st.	104-133mm (DN100)
00213558	st.	132-161mm (DN100/125)
00213560	st.	159-188mm (DN150)
00213562	st.	193-227mm (DN200)
00213564	st.	224-257mm (DN225/250)
00213566	st.	266-301mm (DN250)
00213568	st.	314-356mm (DN300)



artikelnummer per omschrijving / maat groep

AVK Supa Maxi trekvaste eindkap serie 634/70 0362
t.b.v. alle buis soorten NBR afdichting PN10
met aftakking 1-1/4" (*) & 2" ()**

00213572	st.	48-71mm (DN50)
00213574	st.	69-91mm (DN65) *
00213576	st.	69-91mm (DN65) **
00213578	st.	82-106mm (DN80) *
00213580	st.	82-106mm (DN80) **
00213582	st.	104-133mm (DN100) *
00213584	st.	104-133mm (DN100) **
00213586	st.	132-161mm (DN125) *
00213588	st.	132-161mm (DN125) **
00213590	st.	159-188mm (DN150) *
00213592	st.	159-188mm (DN150) **
00213594	st.	193-227mm (DN200) *
00213596	st.	193-227mm (DN200) **
00213598	st.	224-257mm (DN225) *
00213600	st.	224-257mm (DN225) **
00213602	st.	266-301mm (DN250) *
00213604	st.	266-301mm (DN250) **
00213606	st.	314-356mm (DN300) *
00213608	st.	314-356mm (DN300) **



alle Supa Maxi producten
zijn voorzien van:
Bouten : A2
Moeren : A4

AVK Supa Maxi spie adapter serie 635/70 0362
trekvast t.b.v. alle buis soorten NBR afdichting PN10

00213612	st.	63 x 48-71mm (DN50)
00213614	st.	75 x 69-91mm (DN65)
00213616	st.	90 x 82-106mm (DN80)
00213618	st.	110 x 82-106mm (DN80)
00213620	st.	110 x 104-133mm (DN100)
00213622	st.	125 x 132-161mm (DN125)
00213624	st.	160 x 159-188mm (DN150)
00213626	st.	200 x 193-227mm (DN200)
00213628	st.	250 x 224-257mm (DN225)
00213630	st.	250 x 266-301mm (DN250)
00213632	st.	315 x 314-356mm (DN300)

