














metalen buis / leidingen

artikelnummer	per	omschrijving / maat	groep
CV buis dunwandig L=6			0600 DIN 2394 / EN 10205
06000053	m ¹	12 x 1.2mm.	
06000055	m ¹	15 x 1.2mm.	
06000057	m ¹	22 x 1.2mm.	
06000058	m ¹	28 x 1.2mm.	
06000065	m ¹	15 x 1.5mm.	
06000067	m ¹	22 x 1.5mm.	
06000069	m ¹	28 x 1.5mm.	
06000071	m ¹	35 x 1.5mm.	
06000073	m ¹	42 x 1.5mm.	
06000075	m ¹	54 x 1.5mm.	
Koper buis L=5			0600 KIWA / GASTEC
06000012	m ¹	12mm.	
06000015	m ¹	15mm.	
06000022	m ¹	22mm.	
06000028	m ¹	28mm.	
06000035	m ¹	35mm.	
06000042	m ¹	42mm.	
06000050	m ¹	54mm.	
gelaste gasbuis zwart glad L=6			061 DIN 2440 / EN 10255-M
06100109	m ¹	3/8"	
06100112	m ¹	1/2"	
06100119	m ¹	3/4"	
06100125	m ¹	1"	
06100132	m ¹	1-1/4"	
06100138	m ¹	1-1/2"	
06100150	m ¹	2"	
06100163	m ¹	2-1/2"	
06100175	m ¹	3"	
06100179	m ¹	4"	
gelaste vlambuis zwart glad L=6			061 DIN 2458 / EN 10217
06100194	m ¹	42.4 x 2.6mm. (1-1/4")	
06100195	m ¹	48.3 x 2.6mm. (1-1/2")	
06100193	m ¹	51.0 x 2.6mm. (kasbuis)	
06100196	m ¹	60.3 x 2.9mm. (2")	
06100197	m ¹	76.1 x 2.9mm. (2-1/2")	
06100198	m ¹	88.9 x 3.2mm. (3")	
06100199	m ¹	114.3 x 3.6mm. (4")	
06100200	m ¹	139.7 x 4.0mm. (5")	
06100201	m ¹	168.3 x 4.5mm. (6")	
06100202	m ¹	219.1 x 5.6mm. (8")	
06100203	m ¹	273.0 x 5.6mm. (10")	
gelaste gasbuis galva. glad L=6			061 DIN 2440 / EN 10255-M KIWA / GASTEC
06100209	m ¹	3/8"	
06100212	m ¹	1/2"	
06100219	m ¹	3/4"	
06100225	m ¹	1"	
06100232	m ¹	1-1/4"	
06100238	m ¹	1-1/2"	
06100250	m ¹	2"	
06100263	m ¹	2-1/2"	
06100275	m ¹	3"	
06100299	m ¹	4"	

metalen buis / leidingen

artikelnummer	per	omschrijving / maat	groep
		gelaste gasbuis galva. draad/sok L=6	061 DIN 2440 / EN 10255-M
06100309	m ¹	3/8"	
06100312	m ¹	1/2"	
06100319	m ¹	3/4"	
06100325	m ¹	1"	
06100332	m ¹	1-1/4"	
06100338	m ¹	1-1/2"	
06100350	m ¹	2"	
06100363	m ¹	2-1/2"	
06100375	m ¹	3"	
06100399	m ¹	4"	
		gelaste gasbuis str.menie glad L=6	061 DIN 2440 / EN 10255-M KIWA / GASTEC
06100409	m ¹	3/8"	
06100412	m ¹	1/2"	
06100419	m ¹	3/4"	
06100425	m ¹	1"	
06100432	m ¹	1-1/4"	
06100438	m ¹	1-1/2"	
06100450	m ¹	2"	
06100463	m ¹	2-1/2"	
06100475	m ¹	3"	
06100490	m ¹	4"	
		gelaste gasbuis str. menie 2 x ril L=6	061 DIN 2440 / EN 10255-M KIWA / GASTEC
06101025	m ¹	1"	
06101032	m ¹	1-1/4"	
06101038	m ¹	1-1/2"	
06101050	m ¹	2"	
		gelaste gasbuizen PE bekleed glad L=6	061 DIN 2440 / EN 10255-M KIWA / GASTEC
06100912	m ¹	1/2"	
06100919	m ¹	3/4"	
06100925	m ¹	1"	
06100930	m ¹	1-1/4"	
06100938	m ¹	1-1/2"	
06100950	m ¹	2"	
06100963	m ¹	2-1/2"	
06100975	m ¹	3"	
06100999	m ¹	4"	

metalen buis / leidingen

artikelnummer	per	omschrijving / maat	groep
		gelast str. menie vlambuis glad L=6	061 DIN 2458 / EN 10217 HVAC heating-ventilation-airco-cooling
06100499	m ¹	42.4 x 2.6mm. (1-1/4")	
06100500	m ¹	48.3 x 2.6mm. (1-1/2")	
06100501	m ¹	60.3 x 2.9mm. (2")	
06100502	m ¹	76.1 x 2,9mm. (2-1/2")	
06100503	m ¹	88.9 x 3,2mm. (3")	
06100504	m ¹	114.3 x 3,6mm. (4")	
06100505	m ¹	139.7 x 4,0mm. (5")	
06100506	m ¹	168.3 x 4.5mm. (6")	
06100508	m ¹	219.1 x 5,6mm. (8")	
06100510	m ¹	273.0 x 5.6mm. (10")	
		gelast str. menie vlambuis 2 x ril L=6	061 DIN 2458 / EN 10217 HVAC heating-ventilation-airco-cooling
06103042	m ¹	42.4 x 2.6mm. (1-1/4")	
06103048	m ¹	48.3 x 2.6mm. (1-1/2")	
06103060	m ¹	60.3 x 2.9mm. (2")	
06103076	m ¹	76.1 x 2,9mm. (2-1/2")	
06103089	m ¹	88.9 x 3,2mm. (3")	
06103090	m ¹	114.3 x 3,6mm. (4")	
06103091	m ¹	139.7 x 4,0mm. (5")	
06103092	m ¹	168.3 x 4.5mm. (6")	
06103093	m ¹	219.1 x 5,6mm. (8")	
06103094	m ¹	273.0 x 5.6mm. (10")	
		gelast gegalv. vlambuis 2 x ril L=6	061 DIN 2458 / EN 10217 sprinkler
06103343	m ¹	42.4 x 2.6mm. (1-1/4")	
06103349	m ¹	48.3 x 2.6mm. (1-1/2")	
06103360	m ¹	60.3 x 2.6mm. (2")	
06103376	m ¹	76.1 x 2.6mm. (2-1/2")	
06103389	m ¹	88.9 x 2.9mm. (3")	
06103390	m ¹	114.3 x 3.2mm. (4")	
06103391	m ¹	139.7 x 3.6mm. (5")	
06103392	m ¹	168.3 x 4.0mm. (6")	
06103393	m ¹	219.1 x 4.5mm. (8")	
		gelaste vlambuis 2 x ril, ral3000 L=6	061 DIN 2458 / EN 10217 sprinkler / poeder gecoat
06103542	m ¹	42.4 x 2.6mm. (1-1/4")	
06103548	m ¹	48.3 x 2.6mm. (1-1/2")	
06103560	m ¹	60.3 x 2.6mm. (2")	
06103576	m ¹	76.1 x 2.6mm. (2-1/2")	
06103589	m ¹	88.9 x 2.9mm. (3")	
06103590	m ¹	114.3 x 3.2mm. (4")	
06103591	m ¹	139.7 x 3.6mm. (5")	
06103592	m ¹	168.3 x 4.0mm. (6")	
06103593	m ¹	219.1 x 4.5mm. (8")	



metalen buis / leidingen